

List of Designated Evacuation Centers and Emergency Evacuation Sites (Indoor)



Designated Evacuation Center

These facilities are pre-designated by the city as places to stay for a certain period of time when you have evacuated from your home or are unable to return due to a disaster. They can also be used as temporary evacuation sites.

Dist.	No.	Facility Name	Address	Inundation Depth (m)	Flood	Earthquake	Remarks
Nishi	1	Nissho Elementary School	6-Jo-Dori 5Chome	0.5~3	2nd floor or higher		
	2	Shinmachi Elementary School	4-Jo-Nishi 3 Chome	3~5	3rd floor or higher		
	3	Asahikawa Senior High School for Special Needs Education	5-Jo-Nishi 5 Chome	3~5	3rd floor or higher		
	4	Seiun Elementary School	Akebano 1-Jo 2 Chome	0.5~3	2nd floor or higher		
	5	Asahikawa Commercial High School	Akebano 3-Jo 3 Chome	0.5~3	2nd floor or higher		
Taisei	6	Asahikawa Vocational College of Barber and Beauty	4-Jo-Dori 12 Chome	~0.5			
	7	Asahikawa-Higashi High School	6-Jo-Dori 11 Chome	~0.5			
	8	Chishin Elementary School	8-Jo-Dori 13 Chome	0.5~3	2nd floor or higher		
	9	Chuo Junior High School	10-Jo-Dori 11 Chome	0.5~3	Conditions Apply		Potential Inundation Areas for Building Collapse
Higashi	10	Asahi Elementary School	5-Jo-Dori 21 Chome	~0.5			
	11	Tobu Community Center	Toko 5-Jo 2 Chome	~0.5			
	12	Toko Junior High School	Toko 8-Jo 2 Chome	~0.5			
	13	Chiyoda Elementary School	Toko 8-Jo 3 Chome	~0.5			
	14	Higashi-Machi Elementary School	Toyooka 3-Jo 1 Chome	0.5~3	2nd floor or higher		
	15	Koyo Junior High School	Toyooka 3-Jo 1 Chome	0.5~3	2nd floor or higher		
	16	Toyooka Elementary School	Toyooka 10-Jo 3 Chome	~0.5			
	17	Toyooka Community Center	Toyooka 11-Jo 3 Chome	~0.5			
	18	Keimei Elementary School	Minami 2-Jo-Dori 22 Chome	~0.5			
	19	Keimei Community Center	Minami 5-Jo-Dori 25 Chome	~0.5			
Higashi-Asahikawa	20	Bellco Toko City Hall	Toko 2-Jo 5 Chome	0.5~3	2nd floor or higher		
	21	Toei Elementary School	Toko 4-Jo 6 Chome	0.5~3	2nd floor or higher		
	22	Asahikawa Daisan Elementary School	Toko 8-Jo 8 Chome	0.5~3	2nd floor or higher		
	23	Tomei Junior High School	Toko 16-Jo 7 Chome	~0.5			
	24	Toko Elementary School	Toko 17-Jo 6 Chome	~0.5			
	25	Toko Sports Park Budokan	Toko 24-Jo 7 Chome				
	26	Asahikawa City Higashi-Chiku Sports Center	Toyooka 2-Jo 5 Chome	0.5~3	Conditions Apply		
	27	Toyo Junior High School	Toyooka 2-Jo 7 Chome	0.5~3	2nd floor or higher		
	28	Kyoei Elementary School	Toyooka 2-Jo 10 Chome	~0.5			
	29	Atago-Higashi Elementary School	Toyooka 7-Jo 9 Chome	~0.5			
	30	Atago Elementary School	Toyooka 8-Jo 6 Chome	~0.5			
	31	Atago Junior High School	Toyooka 8-Jo 10 Chome	~0.5			
	32	Asahikawa Elementary School	Higashi-Asahikawa-Minami 1-Jo 6 Chome	~0.5			
	33	Asahikawa Junior High School	Higashi-Asahikawa-Minami 1-Jo 6 Chome	~0.5			
	34	Asahikawa Industrial Technology Center	Kogyodanchi 3-Jo 2 Chome	~0.5			
	35	Higashi-Asahikawa Rural Environment Improvement Center	Higashi-Asahikawa Town Kamihison	~0.5			
	36	Asahikawa Ryukoku High School	Higashi-Asahikawa Town Kyoei	0.5~3	2nd floor or higher		
	37	Former Asahikawa Daini Junior High School	Higashi-Asahikawa Town Kyoei	0.5~3	2nd floor or higher		
	38	Former Asahikawa Daini Elementary School	Higashi-Asahikawa Town Kyokusei	0			
	39	Pearful Iwayama (Former Asahikawa Daiyon Elementary School)	Higashi-Asahikawa Town Toyota	~0.5	Conditions Apply	Not Available	Potential Inundation Areas for Building Collapse
	40	Asahikawa Daigo Elementary School (Including Sakuracka Junior High School)	Higashi-Asahikawa Town Higashi-Sakuracka	0			
	41	Higashi-Asahikawa Public Hall, Hinode Annex	Higashi-Asahikawa Town Hinode	~0.5		Not Available	
	42	Higashi-Asahikawa Public Hall, Mizuho Annex	Higashi-Asahikawa Town Mizuho	0.5~3	Conditions Apply		Potential Inundation Areas for Building Collapse
	43	Former Asahikawa Daiichi Elementary School	Higashi-Asahikawa Town Yonehara	5~10	Conditions Apply		

Dist.	No.	Facility Name	Address	Inundation Depth (m)	Flood	Earthquake	Remarks
Hokusei	44	Taiyu Elementary School	Asahi Town 1-Jo 6 Chome	0.5~3	2nd floor or higher		
	45	Hokko Elementary School	Asahi Town 1-Jo 16 Chome	0.5~3	2nd floor or higher		
	46	Hokusei Community Center	Asahi Town 2-Jo 8 Chome	~0.5			
	47	Omachi Elementary School	Omachi 1-Jo 1 Chome	0.5~3	Conditions Apply		Potential Inundation Areas for Building Collapse
	48	Asahikawa-Nishi High School	Kawabata Town 5-Jo 9 Chome	3~5	3rd floor or higher		
	49	Bellco Kawabata City Hall	Kawabata Town 5-Jo 10 Chome	3~5	Conditions Apply		
	50	Hokumon Junior High School	Nishiki Town 15 Chome	0.5~3	2nd floor or higher		
	51	Asahikawa-Kita High School	Harasaki Town 3 Chome	0.5~3	2nd floor or higher		
	52	Asahikawa Tosei High School	Harasaki Town 6 Chome	3~5	3rd floor or higher		
	53	Hokkaido University of Education, Asahikawa Campus	Hokumon Town 9 Chome	0.5~3	2nd floor or higher		
Shunko	54	Asahikawa Meisei High School	Midori Town 14 Chome	0.5~3	2nd floor or higher		
	55	Chikabumi Elementary School	Midori Town 17 Chome	3~5	3rd floor or higher		
	56	Keihoku Junior High School	Shunko 2-Jo 7 Chome	~0.5			
	57	Asahikawa Elementary School Attached to Hokkaido University of Education	Shunko 4-Jo 1 Chome	~0.5			
	58	Asahikawa Junior High School Attached to Hokkaido University of Education	Shunko 4-Jo 2 Chome	~0.5			
	59	Hokubu Community Center	Shunko 5-Jo 4 Chome	0.5~3	2nd floor or higher		
	60	Bellco Shunko City Hall	Shunko 5-Jo 4 Chome	~0.5			
	61	Hokuchin Elementary School	Shunko 6-Jo 6 Chome	0.5~3	2nd floor or higher		
	62	Takadai Elementary School	Shunkodai 4-Jo 4 Chome	0			
	63	National Institute of Technology (KOSEN), Asahikawa College	Shunkodai 2-Jo 2 Chome	0			
Higashi-Takasu	64	Shunkodai Community Center	Shunkodai 3-Jo 5 Chome	0			
	65	Shunkodai Junior High School	Shunkodai 5-Jo 3 Chome	0			
	66	Shunko Elementary School	Suehiro 1-Jo 1 Chome	0.5~3	2nd floor or higher		
	67	Rokugo Junior High School	Suehiro 3-Jo 2 Chome	0.5~3	2nd floor or higher		
	68	Suehiro Elementary School	Suehiro 6-Jo 2 Chome	0.5~3	2nd floor or higher		
	69	Asahikawa Jitsugyo High School	Suehiro 8-Jo 1 Chome	0		Not Available	
	70	Hokusei Junior High School	Sumiyoshi 5-Jo 1 Chome	0.5~3	2nd floor or higher		
	71	Koryo Elementary School	Sumiyoshi 5-Jo 1 Chome	~0.5			
	72	Fukushimura Community Exchange Home "YOU"	Shunkodai 3-Jo 10 Chome	0			
	73	Ryoun Elementary School	Suehiro 1-Jo 7 Chome	~0.5			
Shintomi-Asahikawa	74	Suehiro Community Center	Suehiro 2-Jo 4 Chome	~0.5			
	75	Koryo Junior High School	Suehiro 2-Jo 7 Chome	~0.5			
	76	Suehiro-Kita Elementary School	Suehiro 5-Jo 11 Chome	0.5~3	2nd floor or higher		
	77	Bellco Suehiro City Hall	Suehiro-Higashi 2-Jo 4 Chome	0.5~3	2nd floor or higher		
	78	Suehiro Area Activity Center "Atsumaru"	Suehiro-Higashi 2-Jo 9 Chome	0.5~3	Conditions Apply		
	79	Higashi-Takasu Junior High School	Higashi-Takasu 4-Jo 5 Chome	0			
	80	Chikabumi Daiichi Elementary School	Higashi-Takasu 3-Sen 10-Go	0			
	81	Chikabumi Daini Elementary School	Higashi-Takasu 4-Sen 16-Go	0			
	82	Higashi-Takasu Revitalization Center	Higashi-Takasu 10-Sen 16-Go	0			
	83	Higashi-Takasu Public Hall, No. 3 Annex	Higashi-Takasu 10-Sen 21-Go	~0.5		Not Available	
84	Shintomi Elementary School	Shintomi 2-Jo 2 Chome	~0.5				
85	Seiwa Elementary School	Taisetsu-Dori 8 Chome	0.5~3	2nd floor or higher			
86	Myojo Junior High School	Higashi 5-Jo 1 Chome	3~5	Conditions Apply		Potential Inundation Areas for Building Collapse	

How to Read the List of Designated Evacuation Centers and Emergency Evacuation Sites

Please check the locations using the Hazard Maps on pages 11~37. Since some Evacuation Centers are at risk of flooding, prioritize "evacuating to a safer location." Discuss with your family to identify your nearest Evacuation Center, as well as those with lower flood risks and the safest routes to reach them.

Inundation Depth (m)	Flood	Regarding Usage During a Flood	
0		Can be used during a flood.	
~ 0.5			
0.5 ~ 3	2nd floor or higher	Depending on the situation, you may be required to secure your safety on the upper floors of the facility.	Due to the risk of flooding, consider these as evacuation destinations only if there are no safe Designated Evacuation Centers nearby or if you have delayed your evacuation.
3 ~ 5	3rd floor or higher		
5 ~ 10	Conditions Apply	Depending on the situation, you may be required to move to a different Evacuation Center.	

Dist.	No.	Facility Name	Address	Inundation Depth (m)	Flood	Earthquake	Remarks
Shin-Asahikawa	87	Higashi-Gojo Elementary School	Higashi 5-Jo 5 Chome	0.5~3	2nd floor or higher		
	88	Shin-Asahikawa Community Center	Higashi 6-Jo 4 Chome	0.5~3	2nd floor or higher		
	89	Belco Nagayama City Hall	Nagayama 2-Jo 11 Chome	~0.5			
Nagayama	90	Asahikawa City University	Nagayama 3-Jo 23 Chome	~0.5			
	91	Nagayama Elementary School	Nagayama 5-Jo 18 Chome	~0.5			
	92	Nagayama Community Center	Nagayama 7-Jo 4 Chome	~0.5			
	93	Nagayama-Nishi Elementary School	Nagayama 7-Jo 11 Chome	~0.5			
	94	Asahikawa Shiho High School	Nagayama 7-Jo 16 Chome	~0.5		Not Available	
	95	Nagayama Junior High School	Nagayama 7-Jo 19 Chome	~0.5			
	96	Nagayama-Minami Elementary School	Nagayama 9-Jo 6 Chome	~0.5			
	97	Asahikawa Eiryō High School	Nagayama Town 3 Chome	~0.5			
	98	Nagayama-Minami Junior High School	Nagayama Town 5 Chome	~0.5			
	99	Nagayama-Higashi Elementary School	Nagayama Town 13 Chome	0			
	100	Nagayama-Shin River Management Center	Nagayama Town 13 Chome	~0.5	Conditions Apply		Potential Inundation Areas for Building Collapse
101	Asahikawa Agricultural High School	Nagayama Town 14 Chome	0				
Kagura	102	Asahikawa Bellco Hall	Kagura 2-Jo 10 Chome	0			
	103	Kagura Elementary School	Kagura 5-Jo 8 Chome	3~5	3rd floor or higher		
	104	Kagura Junior High School	Kagura 6-Jo 12 Chome	3~5	3rd floor or higher		
	105	Ryokushin Elementary School	Kaguraoka 4-Jo 5 Chome	0			
	106	Asahikawa Regional Industries Promotion Center	Kagura 4-Jo 6 Chome	3~5	Conditions Apply		
	107	Kaguraoka Community Center	Kaguraoka 12-Jo 2 Chome	0.5~3	2nd floor or higher		
	108	Kaguraoka Elementary School	Kaguraoka 14-Jo 3 Chome	0.5~3	2nd floor or higher		
	109	Nishi-Goryochi Elementary School	Nishi-Goryo 1-Jo 2 Chome	0			
	110	Midorigaoka Community Center	Midorigaoka 3-Jo 3 Chome	0			
	111	Midorigaoka Elementary School	Midorigaoka 3-Jo 4 Chome	0			
	112	Midorigaoka Junior High School	Midorigaoka 3-Jo 4 Chome	0			
	113	Asahikawa Medical University	Midorigaoka-Higashi 2-Jo 1 Chome	0			Potential Inundation Areas for Building Collapse
	114	Asahikawa-Minami High School	Midorigaoka-Higashi 3-Jo 3 Chome	0			
	115	Asahikawa Technical High School	Midorigaoka-Higashi 4-Jo 1 Chome	0			
	Nishi-Kagura	116	Former Seiwa Elementary School	Nishi-Kagura 1-Sen 18-Go	0.5~3	Conditions Apply	
117		Nishi-Kagura Public Hall, Shujitsu Annex	Nishi-Kagura 1-Sen 31-Go	~0.5		Not Available	
118		Former Chiyogaoka Elementary School	Nishi-Kagura 3-Sen 25-Go	0.5~3	2nd floor or higher		
119		Nishi-Kagura Elementary School	Nishi-Kagura-Kita 2-Jo 3 Chome	0.5~3	2nd floor or higher		
120		Nishi-Kagura Civic Exchange Center	Nishi-Kagura-Minami 2-Jo 3 Chome	0.5~3	Conditions Apply		
Kamui	121	Nishi-Kagura Junior High School	Nishi-Kagura-Minami 2-Jo 4 Chome	0.5~3	2nd floor or higher		
	122	Kamui-Higashi Elementary School	Kamui 1-Jo 17 Chome	0.5~3	2nd floor or higher		
	123	Kamui Community Center	Kamui 2-Jo 17 Chome	0.5~3	2nd floor or higher		
	124	Kamui Junior High School	Kamui 4-Jo 5 Chome	0.5~3	2nd floor or higher		
	125	Kamui Elementary School	Kamui 4-Jo 6 Chome	0.5~3	2nd floor or higher		
	126	Kamui-Higashi Junior High School	Kamui 4-Jo 19 Chome	0.5~3	2nd floor or higher		
	127	Ubun Elementary School	Kamui Town Ubun	~0.5			
	128	Kamui Public Hall, Kami-Ubun Annex	Kamui Town Kami-Ubun	0			
	129	Nishi-Kamui Hall	Kamui Town Kamukotan	0			
	130	Former Kamukotan Elementary School (including Former Kamukotan Junior High School)	Kamui Town Kamukotan	0			
	131	Daiba Elementary School	Kamui Town Daiba	0			
	132	Tomisawa Elementary School	Kamui Town Tomisawa	0			
	133	Selp Toyoato (Former Toyoato Elementary and Junior High School)	Kamui Town Toyoato	0			Sediment Disaster Warning Area
	134	Former Asahikawa Hokuto Commercial High School	Daiba 2-Jo 1 Chome	0.5~3	Conditions Apply	Not Available	Potential Inundation Areas for Building Collapse
	135	Chuwa Junior High School	Chuwa 1-Jo 4 Chome	5~10	Conditions Apply		Potential Inundation Areas for Building Collapse

Dist.	No.	Facility Name	Address	Inundation Depth (m)	Flood	Earthquake	Remarks
Kamui	136	Chuwa Elementary School	Chuwa 4-Jo 4 Chome	5~10	Conditions Apply		
	137	Chuwa Community Center	Chuwa 5-Jo 5 Chome	5~10	Conditions Apply		
	138	Belco City Hall Asahikawa-Nishi	Chuwa 7-Jo 7 Chome	~0.5			
Etanbetsu	139	Former Arashiyama Elementary School (including Former Arashiyama Junior High School)	Etanbetsu Town Arashiyama	0			
	140	Arashiyama Chuo Hall	Etanbetsu Town Arashiyama	0			
	141	Etanbetsu Elementary School (including Etanbetsu Junior High School)	Etanbetsu Town Chuo	0.5~3	2nd floor or higher		
	142	Etanbetsu Civic Exchange Center	Etanbetsu Town Chuo	0.5~3	Conditions Apply		
	143	Etanbetsu Wakamono-no-Sato	Etanbetsu Town Chuo	0.5~3	2nd floor or higher		



Designated Emergency Evacuation Sites (Indoor)

These facilities and sites are pre-designated by the city to ensure your safety from imminent disaster. They are not intended for overnight stays or long-term shelter. Use these as emergency destinations if there are no safe Designated Evacuation Centers nearby or if you are running late to evacuate.

Dist.	No.	Facility Name	Address	Inundation Depth (m)	Flood	Earthquake	Remarks
Chuo	1	Hotel Route-Inn Asahikawa Ekimae Ichijo-Dori (1F lobby, restaurant)	1-Jo-Dori 6 Chome	~0.5			
	2	Hotel Route-Inn Grand Asahikawa Ekimae (3F lobby, restaurant, meeting rooms)	Miyashitadori 8 Chome	~0.5			
Taisei	3	Mega Center Trial Asahikawa Store (Rooftop parking)	6-Jo-Dori 14 Chome	~0.5			
Higashi-Asahikawa	4	Asahikawa 21-Seiki-no-Mori Log House	Higashi-Asahikawa Town Mizuho	0			
Hokusei	5	The Bellclassic Asahikawa (2nd floor or higher)	Moto Town 2 Chome	0.5~3	Conditions Apply		Potential Inundation Areas for Building Collapse
	6	AEON MALL Asahikawa-Nishi (3F indoor parking and rooftop parking)	Midori Town 23 Chome	0.5~3	3rd floor or higher		
Kagura	7	Taisetsu Arena (2nd Floor)	Kagura 4-Jo 7 Chome	0.5~3	2nd floor or higher		
	8	Parlor Toei Kagura Branch (Multi-story parking)	Kagura 5-Jo 9 Chome	3~5	3rd floor or higher		
	9	Mori-no-SPA Kagura	Kagura 3-Jo 12 Chome	0			
	10	Asahikawa Miyamae Nursery School	Kagura 2-Jo 12 Chome	0			
	11	Kagura Civic Exchange Center (2nd Floor)	Kagura 3-Jo 6 Chome	0.5~3	2nd floor or higher		
Kamui	12	Midori-no-Center	Kaguraoka Park	0			
	13	Hosei Hall	Kamui Town Toyoato	0.5~3	2nd floor or higher		Sediment Disaster Warning Area
	14	Asahikawa Fire Corps No. 19 Branch Station	Kamui Town Toyoato	0			

※Only Designated Emergency Evacuation Sites with indoor facilities for use during wind and flood disasters are listed here. For outdoor evacuation sites, please check the Hazard Map.

Facilities Used by People Requiring Special Care

Under the law, facilities used by people requiring special care located within flood-prone areas or Sediment Disaster Warning Area, as designated in the Asahikawa City Local

Disaster Management Plan, are required to create an Evacuation Safety Plan. A list of these facilities can be found on our website.

Regarding Evacuation Safety Plans for Facilities Used by People Requiring Special Care in Asahikawa City



Evacuation Center Stockpile Items

Evacuation Centers maintain stocks of essential supplies; however, quantities are limited. Please refer to page 44 to prepare an "emergency carry-out bag" with the items you personally need and ensure you can carry it with you when you evacuate.



Asahikawa City Emergency Stockpile Plan



When phone lines are busy... Disaster Emergency Message Dial 171

This is a "voice message board" that allows you to communicate even in the event of a major disaster when phone lines are congested and difficult to connect.

For more information, please visit the NTT website.

